Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
M. S. Bretscher
C. R. Cantor
P. Chambon
M. Gellert
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
M. F. Moody
P. M. B. Walker
S. M. Weissman

JAN 5 12 12 FH '81
UNIVERSITY OF ... LIBRARY

VOLUME 140
15 June to 15 July 1980

PERIODICAL
QH301
J73

ACADEMIC PRESS
London New York San Francisco

Copyright © 1980, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 140

Number 1, 15 June 1980

Shoham, M. and Steitz, T. A., Crystallographic Studies and Model Building of ATP at the Active Site of Hexokinase 1

Drouin, J., Cloning of Human Mitochondrial DNA in *Escherichia coli* . . 15

Craig, R. C., Szent-Györgyi, G., Beese, L., Flicker, P., Vibert, P. and Cohen, C., Electron Microscopy of Thin Filaments Decorated with a Ca^{2+}-Regulated Myosin 35

Gottesman, M. E., Adhya, S. and Das, A., Transcription Antitermination by Bacteriophage Lambda *N* Gene Product 57

Remington, S. J. and Matthews, B. W., A Systematic Approach to the Comparison of Protein Structures 77

Karran, P., Lindahl, T., Øfsteng, I., Evensen, G. B. and Seeberg, E., *Escherichia coli* Mutants Deficient in 3-Methyladenine-DNA Glycosylase . 101

Dimaio, D. and Nathans, D., Cold-sensitive Regulatory Mutants of Simian Virus 40 129

Letter to the Editor

Brown, N. L., Hutchison, C. A. and Smith, M., The Specific Non-symmetrical Sequence Recognized by Restriction Endonuclease *Mbo*II 143

Number 2, 25 June 1980

Makowski, L., Caspar, D. L. D. and Marvin, D. A., Filamentous Bacteriophage Pf1 Structure Determined at 7 Å Resolution by Refinement of Models for the α-Helical Subunit 149

Bennett, W. S. Jr and Steitz, T. A., Structure of a Complex Between Yeast Hexokinase A and Glucose. I. Structure Determination and Refinement at 3·5 Å Resolution 183

Bennett, W. S. Jr and Steitz, T. A., Structure of a Complex Between Yeast Hexokinase A and Glucose. II. Detailed Comparisons of Conformation and Active Site Configuration with the Native Hexokinase B Monomer and Dimer 211

Nass, M. M. K., Analysis of the Two Heavy and Light Strand Origins and the Direction of Replication of Mitochondrial DNA within a Detailed Physical Map of this Genome in Transformed Hamster Cells 231

Nass, M. M. K., Pulse-label Analysis and Mapping of the Two Terminal Regions of Asynchronous Complementary Strand Replication of Mitochondrial DNA in Transformed Hamster Cells 257

Benoff, S. and Nadal-Ginard, B., Transient Induction of Poly(A)-Short Myosin Heavy Chain Messenger RNA During Terminal Differentiation of L_6E_9 Myoblasts 283

Gill, S. J., Spokane, R., Benedict, R. C., Fall, L. and Wymann, J., Ligand-linked Phase Equilibria of Sickle Cell Hemoglobin 299

Appendix: Thermodynamics of the Effects of Temperature and pH on the Solubility of Sickle Cell Hemoglobin with Oxygen Partial Pressure . 310

Yanagida, T. and Oosawa, F., Conformational Changes of F-Actin–ε-ADP in Thin Filaments in Myosin-free Muscle Fibers Induced by Ca^{2+} . . 313

Gourse, R. L. and Gerbi, S. A., Fine Structure of Ribosomal RNA. III. Location of Evolutionarily Conserved Regions within Ribosomal DNA . 321

Roiha, H. and Glover, D. M., Characterization of Complete Type II Insertions in Cloned Segments of Ribosomal DNA from *Drosophila melanogaster* . 341

Number 3, 5 July 1980

McDonald, M. J., Lund, D. P., Bleichman, M., Bunn, H. F., DeYoung, A., Noble, R. W., Foster, B. and Arnone, A., Equilibrium, Kinetic and Structural Properties of Hemoglobin Cranston, an Elongated β Chain Variant 357

Shaeffer, J. R., Schmidt, G. J., Kingston, R. E. and Bunn, H. F., Synthesis of Hemoglobin Cranston, an Elongated β Chain Variant. 377

Bjork, G. R., A Novel Link between the Biosynthesis of Aromatic Amino Acids and Transfer RNA Modification in *Escherichia coli* 391

Bagshaw, C. R. and Kendrick-Jones, J., Identification of the Divalent Metal Ion Binding Domain of Myosin Regulatory Light Chains using Spin-labelling Techniques 411

Letter to the Editor

Williams, R. C. and Fisher, H. W., Electron Microscopic Determination of the Preferential Binding Sites of *Escherichia coli* RNA Polymerase to φX174 Replicative Form DNA 435

NUMBER 4, 15 JULY 1980

AFFARA, N. A., ROBERT, B., JACQUET, M., BUCKINGHAM, M. E. and GROS, F., Changes in Gene Expression During Myogenic Differentiation. I. Regulation of Messenger RNA Sequences Expressed During Myotube Formation . 441

AFFARA, N. A., DAUBAS, P., WEYDERT, A. and GROS, F., Changes in Gene Expression During Myogenic Differentiation. II. Identification of the Proteins Encoded by Myotube-specific Complementary DNA Sequences . 459

BAUMSTARK, B. R. and SCOTT, J. R., The *c*1 Repressor of Bacteriophage P1 I. Isolation of the *c*1 Protein and Determination of the P1 DNA Region to which it Binds 471

REYNAUD, C.-A., IMAIZUMI-SCHERRER, M.-T. and SCHERRER, K., The Size of the Transcriptional Units of the Avian Globin Genes Defined at the Pre-messenger RNA Level 481

BUTLER, P. J. G. and THOMAS, J. O., Changes in Chromatin Folding in Solution. 505

HOEIJMAKERES-VAN DOMMELEN, H. A. M., GROSVELD, G. C., DE BOER, E., FLAVELL, R. A., VARLEY, J. M. and JEFFREYS, A. J., Localization of Repetitive and Unique DNA Sequences Neighbouring the Rabbit β-Globin Gene 531

CROALL, D. E. and MORRISON, M. R., Polysomal and Non-polysomal Messenger RNA in Neuroblastoma Cells. Lack of Correlation Between Polyadenylation or Initiation Efficiency and Messenger RNA Location 549

JOHNSON, L. N., JENKINS, J. A., WILSON, K. S., STURA, E. A. and ZANOTTI, G., Proposals for the Catalytic Mechanism of Glycogen Phosphorylase *b* Prompted by Crystallographic Studies on Glucose 1-Phosphate Binding . 565

ERRATUM 581

Index to Volume 140

ADHYA, S. (see also GOTTESMAN, M. E.), 57

AFFARA, N. A., DAUBAS, P., WEYDERT, A. & GROS, F., Changes in gene expression during myogenic differentiation. II. Identification of the proteins encoded by myotube-specific complementary DNA sequences, 459

—, ROBERT, B., JACQUET, M., BUCKINGHAM, M. E. & GROS, F., Changes in gene expression during myogenic differentiation. I. Regulation of mRNA sequences expressed during myotube formation, 441

Antitermination of transcription by bacteriophage lambda *N* gene product, 57

ARNONE, A. (see also MCDONALD, M. J.), 357

Aromatic amino acid biosynthesis, a novel link with tRNA modification in *Escherichia coli*, 391

ATP at the active site of hexokinase, crystallographic studies and model building, 1

Avian globin genes, the size of the transcriptional units defined at the pre-messenger RNA level 481

Bacteriophage lambda *N* gene product, transcription antitermination in its presence, 57

— Pf1 structure determined at 7 Å resolution by refinement of models for the α-helical subunit, 149

— P1 c1 repressor; isolation of the *c*1 protein and determination of the P1 DNA region to which it binds, 471

— φX174 replicative form DNA, electron microscopic determination of the preferential binding sites of *Escherichia coli* RNA polymerase, 435

BAGSHAW, C. R. & KENDRICK-JONES, J., Identification of the divalent metal ion binding domain of myosin regulatory light chains using spin-labelling techniques, 411

BAUMSTARK, B. R. & SCOTT, J. R., The *c*1 repressor of bacteriophage P1. I. Isolation of the *c*1 protein and determination of the P1 DNA region to which it binds, 471

BEESE, L. (see also CRAIG, R. C.), 35

BENEDICT, R. C. (see also GILL, S. J.), 299

BENNETT, W. S. JR & STEITZ, T. A., Structure of a complex between yeast hexokinase A and glucose. I. Structure determination and refinement at 3·5 Å resolution, 183

—, — — — —., Structure of a complex between yeast hexokinase A and glucose. II. Detailed comparisons of conformation and active site configuration with the native hexokinase B monomer and dimer, 211

BENOFF, S. & NADAL-GINARD, B., Transient induction of poly(A)-short myosin heavy chain mRNA during terminal differentiation of L_6E_9 myoblasts, 283

β chain, elongated: equilibrium, kinetic and structural properties of hemoglobin Cranston, 357

— —, elongated: synthesis of hemoglobin Cranston, 377

Binding sites of *Escherichia coli* RNA polymerase to φX174 replicative form DNA, electron microscopic determination, 435

Biosynthesis of aromatic amino acids, a novel link with tRNA modification in *Escherichia coli*, 391

BJORK, G. R., A novel link between the biosynthesis of aromatic amino acids and tRNA modification in *Escherichia coli*, 391

BLEICHMAN, M. (see also MCDONALD, M. J.), 357

BROWN, N. L., HUTCHISON, C. A. & SMITH, M., The specific non-symmetrical sequence recognized by restriction endonuclease *Mbo*II, 143

BUCKINGHAM, M. E. (see also AFFARA, N. A.), 441

BUNN, H. F. (see also MCDONALD, M. J.), 357

—, (see also SHAEFFER, J. R.), 377

BUTLER, P. J. G. & THOMAS, J. O., Changes in chromatin folding in solution, 505

*c*1 repressor of bacteriophage P1; isolation of the *c*1 protein and determination of the P1 DNA region to which it binds, 471

Ca^{2+}-induced conformational changes of F-actin-ε-ADP in thin filaments in myosin-free muscle fibers, 313

— -regulated myosin-decorated thin filaments, electron microscopy, 35

CASPAR, D. L. D. (see also MAKOWSKI, L.), 149

Catalytic mechanism of glycogen phosphorylase *b*, proposals prompted by crystallographic studies on glucose 1-phosphate binding, 565
Chromatin folding changes in solution, 505
Cloned segments of ribosomal DNA from *Drosophila melanogaster*, characterization of complete type II insertions, 341
Cloning of human mitochondrial DNA in *Escherichia coli*, 15
Cohen, C. (see also Craig, R. C.), 35
Cold-sensitive regulatory mutants of SV40, 129
Conformational changes of F-actin-ε-ADP in thin filaments in myosin-free muscle fibers induced by Ca^{2+}, 313
Craig, R. C., Szent-Györgyi, G., Beese, L., Flicker, P., Vibert, P. & Cohen, C., Electron microscopy of thin filaments decorated with a Ca^{2+}-regulated myosin, 35
Croall, D. E. & Morrison, M. R., Polysomal and non-polysomal mRNA in neuroblastoma cells. Lack of correlation between polyadenylation or initiation efficiency and mRNA location, 549
Crystallographic studies on glucose 1-phosphate binding prompt proposals for the catalytic mechanism of glycogen phosphorylase *b*, 565
— — and model building of ATP at the active site of hexokinase, 1

Das, A. (see also Gottesman, M. E.), 57
Daubas, P. (see also Affara, N. A.), 459
De Boer, E. (see also Hoeijmakeres-van Dommelen, H. A. M.), 531
Decorated thin filaments: electron microscopy when decorated with Ca^{2+}-regulated myosin, 35
DNA: isolation of *c*1 protein and determination of the P1 DNA region to which it binds; the *c*1 repressor of bacteriophage P1, 471
—, mitochondrial, human, cloning in *Escherichia coli*, 15
— —, replication, analysis of the two heavy and light strand origins and the direction of replication within a detailed physical map of this genome in transformed hamster cells, 231
— — —, pulse-label analysis and mapping of the two terminal regions of asynchronous complementary strand replication in transformed hamster cells, 257
—, ϕX174 replicative form, electron microscopic determination of the preferential binding sites of *Escherichia coli* RNA polymerase, 435
—, ribosomal, from *Drosophila melanogaster*, characterization of complete type II insertions in cloned segments, 341
— —, location of evolutionarily conserved regions, fine structures of ribosomal RNA, 321
— sequences, repetitive and unique, neighbouring the rabbit β-globin gene, 531
Deyoung, A. (see also McDonald, M. J.), 357
Dimaio, D. & Nathans, D., Cold-sensitive regulatory mutants of simian virus 40, 129
Divalent metal ion binding domain of myosin regulatory light chains, identification using spin-labelling techniques, 411
Domain, divalent metal ion binding, of myosin regulatory light chains, identification using spin-labelling techniques, 411
Drosophila melanogaster, characterization of complete type II insertions in cloned segments of ribosomal DNA, 341
Drouin, J., Cloning of human mitochondrial DNA in *Escherichia coli*, 15
Electron microscopic determination of the preferential binding sites of *Escherichia coli* RNA polymerase to ϕX174 replicative form DNA, 435
— microscopy of thin filaments decorated with a Ca^{2+}-regulated myosin, 35
Escherichia coli, cloning of human mitochondrial DNA, 15
— — mutants deficient in 3-methyladenine-DNA glycosylase, 101
— —, a novel link between the biosynthesis of aromatic amino acids and tRNA modifications, 391
— — RNA polymerase binding sites to ϕX174 replicative form DNA, electron microscopic determination, 435
Evensen, G. B. (see also Karran, P.), 101
Evolutionarily conserved regions, location within ribosomal DNA; fine structure of ribosomal RNA, 321

F-actin-ε-ADP, conformational changes in thin filaments in myosin-free muscle fibers induced by Ca^{2+}, 313
Fall, L. (see also Gill, S. J.), 299
Filamentous bacteriophage Pf1 structure determined at 7 Å resolution by refinement of models for the α-helical subunit, 149

Filaments, thin, decorated with a Ca^{2+}-regulated myosin, electron microscopy, 35
— —, in myosin-free muscle fibers, conformational changes of F-actin-ε-ADP induced by Ca^{2+}, 313
Fisher, H. W. (see also Williams, R. C.), 435
Flavell, R. A. (see also Hoeijmakeres-van Dommelen, H. A. M.), 531
Flicker, P. (see also Craig, R. C.), 35
Folding changes for chromatin in solution, 505
Foster, B. (see also McDonald, M. J.), 357

Gene, β-globin, rabbit, localization of repetitive and unique neighbouring DNA sequences, 531
— expression changes during myogenic differentiation; identification of the proteins encoded by myotube-specific complementary DNA sequences, 459
— — — — — — — —; regulation of mRNA sequences expressed during myotube formation, 441
Genes, globin, avian, the size of the transcriptional units defined at the pre-messenger RNA level, 481
Gerbi, S. A. (see also Gourse, R. L.), 321
Gill, S. J., Spokane, R., Benedict, R. C., Fall, L. & Wymann, J., Ligand-linked phase equilibria of sickle cell hemoglobin, 299
β-Globin gene, rabbit, localization of repetitive and unique neighbouring DNA sequences, 531
Glover, D. M. (see also Roiha, H.), 341
Glucose 1-phosphate binding, crystallographic studies prompt proposals for the catalytic mechanism of glycogen phosphorylase *b*, 565
—: yeast hexokinase A complex; detailed comparisons of conformation and active site configuration with the native hexokinase B monomer and dimer, 211
—: — — — —; structure determination and refinement at 3·5 Å resolution, 183
Glycogen phosphorylase *b*, proposals for the catalytic mechanism prompted by crystallographic studies on glucose 1-phosphate binding, 565
Gottesman, M. E., Adhya, S. & Das, A., Transcription antitermination by bacteriophage lambda *N* gene product, 57
Gourse, R. L. & Gerbi, S. A., Fine structure of ribosomal RNA. III. Location of evolutionarily conserved regions within ribosomal DNA, 321
Gros, F. (see also Affara, N.A.), 441, 549
Grosveld, G. C. (see also Hoeijmakeres-van Dommelen, H. A. M.), 531

Hamster cells, transformed, analysis of the two heavy and light strand origins and the direction of replication of mitochondrial DNA within a detailed physical map of this genome, 231
— — —, pulse-label analysis and mapping of the two terminal regions of asynchronous complementary strand replication of mitochondrial DNA, 257
Hemoglobin Cranston, an elongated β chain variant; synthesis, 377
— — — — — — — —, equilibrium, kinetic and structural properties, 357
— genes, avian, the size of the transcriptional units defined at the pre-messenger RNA level, 481
—, sickle cell, ligand-linked phase equilibria, 299
— — —, thermodynamics of the effects of temperature and pH on the solubility with oxygen partial pressure, 310
Hexokinase, crystallographic studies and model building of ATP at the active site, 1
Hoeijmakeres-van Dommelen, H. A. M., Grosveld, G. C., De Boer, E., Flavell, R. A., Varley, J. M. & Jeffreys, A. J., Localization of repetitive and unique DNA sequences neighouring the rabbit β-globin gene, 531
Human mitochondrial DNA cloning in *Escherichia coli*, 15
Hutchinson, C. A. (see also Brown, N. L.), 143

Imaizumi-Scherrer, M.-T. (see also Reynaud, C.-A.), 481
Insertions, type II, characterization in cloned segments of ribosomal DNA from *Drosophila melanogaster*, 341

Jacquet, M. (see also Affara, N. A.), 441
Jeffreys, A. J. (see also Hoeijmakeres-van Dommelen, H. A. M.), 531
Jenkins, J. A. (see also Johnson, L. N.), 565
Johnson, L. N., Jenkins, J. A., Wilson, K. S., Stura, E. A. & Zanotti, G., Proposals for the catalytic mechanism of glycogen phosphorylase *b* prompted by crystallographic studies on glucose 1-phosphate binding, 565

Karran, P., Lindahl, T., Øfsteng, I., Evensen, G. B. & Seeberg, E., *Escherichia coli* mutants deficient in 3-methyladenine-DNA glycosylase, 101
Kendrick-Jones, J. (see also Bagshaw, C. R.), 411
Kingston, R. E. (see also Shaeffer, J. R.), 377

λ (see also Bacteriophage), 57
L_6E_9 myoblasts, transient induction of poly(A)-short myosin heavy chain mRNA during terminal differentiation, 283
Ligand-linked phase equilibria of sickle cell hemoglobin, 299
Lindahl, T. (see also Karran, P.), 101
Lund, D. P. (see also McDonald, M. J.), 357

McDonald, M. J., Lund, D. P., Bleichman, M., Bunn, H. F., Deyoung, A., Noble, R. W., Foster, B. & Arnone, A., Equilibrium, kinetic and structural properties of hemoglobin Cranston, an elongated β chain variant, 357
Makowski, L., Caspar, D. L. D. & Marvin, D. A., Filamentous bacteriophage Pf1 structure determined at 7 Å resolution by refinement of models for the α-helical subunit, 149
Marvin, D. A. (see also Makowski, L.), 149
Matthews, B. W. (see also Remington, S. J.), 77
*Mbo*II recognition of a specific non-symmetrical sequence, 143
Messenger RNA, poly(A)-short myosin heavy chain, transient induction during terminal differentiation of L_6E_9 myoblasts, 283
— —, polysomal and non-polysomal, in neuroblastoma cells; lack of correlation between polyadenylation or initiation efficiency and mRNA location, 549
— — sequence regulation expressed during myotube formation; changes in gene expression during myogenic differentiation, 441
3-Methyladenine-DNA glycosylase-deficient *Escherichia coli* mutants, 101
Mitochondrial DNA replication, analysis of the two heavy and light strand origins and the direction of replication within a detailed physical map of this genome in transformed hamster cells, 231
— — —, pulse-label analysis and mapping of the two terminal regions of asynchronous complementary strand replication in transformed hamster cells, 257
— human DNA cloning in *Escherichia coli*, 15
Model building and crystallographic studies of ATP at the active site of hexokinase, 1
Morrison, M. R. (see also Croall, D. E.), 549
Muscle fibers, myosin-free, conformational changes of F-actin-ε-ADP in thin filaments induced by Ca^{2+}, 313
Mutants of *Escherichia coli* deficient in 3-methyladenine-DNA glycosylase, 101
—, regulatory, cold-sensitive, of SV40, 129
Myoblasts, L_6E_9, transient induction of poly(A)-short myosin heavy chain mRNA during terminal differentiation, 283
Myogenic differentiation and changes in gene expression; identification of the proteins encoded by myotube-specific complementary DNA sequences, 459
— — — — — — — ; regulation of mRNA sequences expressed during myotube formation, 441
Myosin heavy chain mRNA, transient induction during terminal differentiation of L_6E_9 myoblasts, 283
— regulatory light chains, identification of the divalent metal ion binding domain using spin-labelling techniques, 411
—-decorated thin filaments, electron microscopy, 35
—-free muscle fibers, conformational changes of F-actin-ε-ADP in thin filaments induced by Ca^{2+}, 313

N gene product, λ, transcription antitermination in its presence, 57
Nadal-Ginard, B. (see also Benoff, S.), 283
Nass, M. M. K., Analysis of the two heavy and light strand origins and the direction of replication of mitochondrial DNA within a detailed physical map of this genome in transformed hamster cells, 231
—, Pulse-label analysis and mapping of the two terminal regions of asynchronous complementary strand replication of mitochondrial DNA in transformed hamster cells, 257
Nathans. D. (see also Dimaio, D.), 129

Neuroblastoma cell polysomal and non-polysomal mRNA; lack of correlation between polyadenylation or initiation efficiency and mRNA location, 549
Noble, R. W. (see also McDonald, M. J.), 357

Øfsteng, I. (see also Karran, P.), 101
Oosawa, F. (see also Yanagida, T.), 313

P1 (see also Bacteriophage), 471
ϕX174 (see also Bacteriophage), 435
Pf1 (see also Bacteriophage), 149
pH and temperature, thermodynamics of their effects on the solubility of sickle cell hemoglobin with oxygen partial pressure, 310
Phase equilibria, ligand-linked, of sickle cell hemoglobin, 299
Poly(A)-short myosin heavy chain mRNA transient induction during terminal differentiation of L_6E_9 myoblasts, 283
Polysomal and non-polysomal mRNA in neuroblastoma cells; lack of correlation between polyadenylation or initiation efficiency and mRNA location, 549
Protein structures, a systematic approach to their comparison, 77
Proteins encoded by myotube-specific complementary DNA sequences; changes in gene expression during myogenic differentiation, 459

Rabbit β-globin gene, localization of repetitive and unique neighbouring DNA sequences, 531
Regulatory light chains of myosin, identification of the divalent metal ion binding domain using spin-labelling techniques, 411
— mutants, cold-sensitive, of SV40, 129
Remington, S. J. & Matthews, B. W., A systematic approach to the comparison of protein structures, 77
Replication of mitochondrial DNA, analysis of the two heavy and light strand origins and the direction within a detailed physical map of this genome in transformed hamster cells, 231
— — — —, pulse-label analysis and mapping of the two terminal regions of asynchronous complementary strand replication in transformed hamster cells, 257
Replicative form DNA of ϕX174, electron microscopic determination of the preferential binding sites of *Escherichia coli* RNA polymerase, 435
Restriction endonuclease *Mbo*II recognition of a specific non-symmetrical sequence, 143
Reynard, C.-A., Imaizumi-Scherrer, M.-T. & Scherrer, K., The size of the transcriptional units of the avian globin genes defined at the pre-messenger RNA level, 481
RNA polymerase, *Escherichia coli*, electron microscopic determination of the preferential binding sites to ϕX174 replicative form DNA, 435
—, ribosomal, fine structure: location of evolutionarily conserved regions within ribosomal DNA, 321
Ribosomal DNA from *Drosophila melanogaster*, characterization of complete type II insertions in cloned segments, 341
— RNA fine structure: location of evolutionarily conserved regions within ribosomal DNA, 321
Robert, B. (see also Affara, N. A.), 441
Roiha, H. & Glover, D. M., Characterization of complete type II insertions in cloned segments of ribosomal DNA from *Drosophila melanogaster*, 341

Scherrer, K. (see also Reynaud, C.-A.), 481
Schmidt, G. J. (see also Shaeffer, J. R.), 377
Scott, J. R. (see also Baumstark, B. R.), 471
Seeberg, E. (see also Karran, P.), 101
Sequence, non-symmetrical, specific, recognized by restriction endonuclease *Mbo*II, 143
Shaeffer, J. R., Schimidt, G. J., Kingston, R. E. & Bunn, H. F., Synthesis of hemoglobin Cranston, an elongated β chain variant, 377
Shoham, M. & Steitz, T. A., Crystallographic studies and model building of ATP at the active site of hexokinase, 1
Sickle cell hemoglobin, ligand-linked phase equilibria, 299
— — —, thermodynamics of the effects of temperature and pH on the solubility with oxygen partial pressure, 310

Simian virus 40 cold-sensitive regulatory mutants, 129
Smith, M. (see also Brown, N. L.), 143
Spin-labelling techniques used in identification of the divalent metal ion binding domain of myosin regulatory light chains, 411
Spokane, R. (see also Gill, S. J.), 299
Steitz, T. A. (see also Bennett, W. S. Jr), 183, 211
— —. (see also Shoham, M.), 1
Structure of bacteriophage Pf1 determined at 7 Å resolution by refinement of models for the α- helical subunit, 149
— — a complex between yeast hexokinase A and glucose: detailed comparisons of conformation and active site configuration with the native hexokinase B monomer and dimer, 211
— — — — — — — — — — : structure determination and refinement at 3·5 Å resolution, 183
Structures of proteins, a systematic approach to their comparison, 77
—, fine, of ribosomal RNA: location of evolutionarily conserved regions within ribosomal DNA, 321
Structural, equilibrium and kinetic properties of hemoglobin Cranston, an elongated β chain variant, 357
Stura, E. A. (see also Johnson, L. N.), 565
Synthesis of hemoglobin Cranston, an elongated β chain variant, 377
Szent-Györgyi, G. (see also Craig, R. C.), 35

Temperature and pH, thermodynamics of their effects on the solubility of sickle cell hemoglobin with oxygen partial pressure, 310
Thermodynamics of the effects of temperature and pH on the solubility of sickle cell hemoglobin with oxygen partial pressure, 310
Thomas, J. O. (see also Butler, P. J. G.), 505
Terminal differentiation of L_6E_9 myoblasts and the transient induction of poly(A)-short myosin heavy chain mRNA, 283
Transcription antitermination by bacteriophage lambda *N* gene product, 57
Transcriptional unit size for the avian globin genes defined at the pre-messenger RNA level, 481
Transfer RNA modification in *Escherichia coli*, a novel link with the biosynthesis of aromatic amino acids, 391

Varley, J. M. (see also Hoeijmakeres-van Dommelen, H. A. M.), 531
Vibert, P. (see also Craig, R. C.), 35
Virus (see also Simian virus 40), 129

Weydert, A. (see also Affara, N. A.), 459
Williams, R. C. & Fisher, H. W., Electron microscopic determination of the preferential binding sites of *Escherichia coli* RNA polymerase to φX174 replicative form DNA, 435
Wilson, K. S. (see also Johnson, L. N.), 565
Wymann, J. (see also Gill, S. J.), 299

Yanagida, T. & Oosawa, F., Conformational changes of F-actin-ε-ADP in thin filaments in myosin-free muscle fibers induced by Ca^{2+}, 313
Yeast hexokinase A:glucose complex; detailed comparisons of conformation and active site with the native hexokinase B monomer and dimer, 211
— — — — —; structure determination and refinement at 3·5 Å resolution, 183

Zanotti, G. (see also Johnson, L. N.), 565